


VoIP & Network Quality Manager

PROACTIVE VOIP AND WAN PERFORMANCE MONITORING AND TROUBLESHOOTING



[DOWNLOAD FREE TRIAL](#)

Fully Functional for 30 Days

Stay a step ahead of VoIP Quality of Service (QoS) issues and end-user complaints. SolarWinds® VoIP & Network Quality Manager monitors VoIP performance by analyzing Call Detail Records generated by Cisco® & Avaya® CallManager and helps you proactively identify and eliminate distortion, latency, and noise. It also generates synthetic VoIP traffic using Cisco IP SLA technology and facilitates capacity planning and measurement of voice quality in advance of new VoIP deployments. But that's not all! SolarWinds VoIP & Network Quality Manager tracks key edge router and switch statistics and helps you keep a close eye on site-to-site WAN performance.

VoIP & Network Quality Manager at a Glance

- Monitors VoIP call Quality of Service (QoS) metrics including jitter, latency, packet loss, and MOS
- Correlates call issues with WAN performance for advanced troubleshooting
- Searches & filters call detail records
- Monitors site-to-site WAN performance using Cisco IP SLA technology
- Automatically discovers Cisco IP SLA enabled network devices & typically deploys in less than an hour

Feature Highlights

Monitor VoIP Call Performance

SolarWinds VoIP & Network Quality Manager monitors the performance of VoIP calls by analyzing call detail records (CDRs) generated by Cisco & Avaya CallManager.

Troubleshoot VoIP Call Performance

SolarWinds VoIP and Network Quality Manager enables advanced VoIP troubleshooting by correlating individual call performance with corresponding network performance metrics.

Search & Filter Call Detail Records

SolarWinds VoIP & Network Quality Manager provides the ability to search, filter and display call detail records (CDRs) to aid in troubleshooting.

VoIP & WAN Monitoring Dashboards

SolarWinds VoIP & Network Quality Manager provides customizable at-a-glance insight into all aspects of your VoIP and WAN performance through an intuitive LUCID™ Web interface.

Intelligent VoIP & WAN Performance Alerts

SolarWinds VoIP & Network Quality Manager enables you to configure intelligent alerts that notify you when specific VoIP or WAN performance thresholds are crossed so you are the first to know when an issue arises.

VoIP Gateway & PRI Trunk Monitoring

SolarWinds VoIP & Network Quality Manager provides VoIP gateway and performance details including PRI trunk and channel utilization, distribution of VoIP and data, and a list of the top 10 quality issues through a designated gateway so you can see exactly how your VoIP capacity is being used and identify potential issues before they impact users.

Call Signaling Chart View

SolarWinds VoIP & Network Quality Manager provides a pictorial representation of the packets exchanged from the call initiation, during progress and end of call, as well as displays the requests that took place from call start to call end.

Automatic IP SLA Setup

SolarWinds VoIP & Network Quality Manager allows you to set up IP SLA operations on your edge routers and switches with a wizard-like interface. You won't need any complicated CLI commands to get started; just a few clicks of your mouse and you're off.

VoIP and WAN Capacity Planning

SolarWinds VoIP & Network Quality Manager generates synthetic VoIP traffic using Cisco IP SLA technology to facilitate capacity planning and measure voice quality in advance of new VoIP deployments.

Customizable Performance Reports

VoIP and Network Quality Manager makes it easy to generate VoIP and WAN performance reports using out-of-the-box templates that can be customized with a few mouse clicks, automating report creation and distribution.

Quick, Do-it-Yourself Deployment

Download, install and deploy VoIP & Network Quality Manager in less than an hour using three simple steps.

System Requirements

Environment

VoIP & Network Quality Manger sites are limited to locations where there is an existing, Cisco IP SLA-compatible router to serve as a simulation node. For more information about IP SLA-capable routers and switches, go to www.cisco.com/go/fn.

HARDWARE	MINIMUM REQUIREMENTS
CPU	Dual processor, 3GHz
Memory	3 GB
Hard Drive	20 GB
SOFTWARE	MINIMUM REQUIREMENTS
OS	Windows® 2003 & 2008 Server (32-bit or 64-bit) including R2, with IIS installed, running in 32-bit mode Windows 2008 Server (32-bit or 64-bit) with IIS installed, running in 32-bit mode , Windows Server 2008 (64-bit), with IIS installed, running in 32-bit mode Windows Server 2012
.NET Framework	Version 4.0

“SolarWinds plug-and-play functionality and affordable price tag were exactly what we needed.”

*- Mark Stevens,
Oceaneering International*

NOTE: The minimum server requirements listed assume default configuration. Significantly increasing the poll rate or statistic collection rate could result in additional load on the server, which may require a larger CPU or additional memory.

Try Before You Buy. Download a Free Trial!

VoIP and network quality management has never been easier! But don't just take our word for it. At SolarWinds, we believe you should try our software before you buy. That's why we offer free trials that deliver full product functionality. Visit SolarWinds.com and [download your free trial today!](#)

 **DOWNLOAD FREE TRIAL**

Fully Functional for 30 Days

About SolarWinds

SolarWinds (NYSE: SWI) provides powerful and affordable IT management software to customers worldwide. Focused exclusively on IT Pros, we strive to eliminate the complexity in IT management software that many have been forced to accept from traditional enterprise software vendors. SolarWinds delivers on this commitment with unexpected simplicity through products that are easy to find, buy, use, and maintain, while providing the power to address any IT management problem on any scale. Our solutions are rooted in our deep connection to our user base, which interacts in our online community, **thwack**, to solve problems, share technology and best practices, and directly participate in our product development process. Learn more at <http://www.solarwinds.com>.

Learn More

For product information or to purchase SolarWinds products, visit solarwinds.com, call, or email:

Americas

Phone: 866.530.8100

Fax: 512.682.9301

Email: sales@solarwinds.com

EMEA

Phone: +353 21 5002900

Fax: +353 212 380 232

Email: sales@solarwinds.com

APAC

Tel : +65 6593 7600

Fax : +65 6593 7601

Email: sales@solarwinds.com

7171 Southwest Parkway | Building 400 | Austin, Texas 78735